Journal of Hepatology, 1992; 14: 424–427
© 1992 Elsevier Science Publishers B.V. All rights reserved. 0168-8278/92/$05.00

Author Index (Vol. 14)

Abboud, H.E., see Pinzani, M., 211
Abecasis, R., see Fassio, E., 310
Alexander, G.J.M., see O'Grady, J.G., 104
Alexander, G.J.M., see Lau, J.Y.N., 294
Allende, H., see Buti, M., 412
Andersson, T., see Bell, H., 163
Aneloni, V., see Farinati, F., 183
Annoni, G., Weiner, F.R. and Zern, M.A., Increased transforming growth factor-β1 gene expression in human liver disease, 259
Antillon, M.R., see Runyon, B.A., 249
Anwer, M.S., Mechanism of bile acid-induced HCO_3^--rich hypercholeresis. An analysis based on quantitative acid-base chemistry, 118
Arnold, J.C., Otto, G., Kraus, T., Kommerell, B. and Theilmann, L., Gilbert's syndrome — a possible cause of hyperbilirubinemia after orthotopic liver transplantation, 404
Arroyo, V., see Salmerón, J.M., 280
Asselot, C., see Dény, P., 409
Aulitzky, W.E., see Tilg, H., 417
Avgerinos, A., Harry, D., Bousboulas, S., Theodossiadou, E., Komesidou, V., Pallikari, A., Raptis, S. and McIntyre, N., The effect of an eucaloric high carbohydrate diet on circulating levels of glucose, fructose and non-esterified fatty acids in patients with cirrhosis, 78

Baker, P.R., see Vitale, G.C., 151
Balsano, F., see Barnaba, V., 391
Barbò, M.L.P., see Meneghelli, U.G., 203
Barnaba, V. and Balsano, F., Immunologic and molecular basis of viral persistence. The hepatitis B virus model, 391
Bassendine, M.F., see Challen, C., 342 and Collier, J.D., 377
Beglinger, C., see Berk, L., 305
Bell, J.D., see Cox, I.J., 265
Bell, H., Ødegaard, O.R., Andersson, T. and Raknerud, N., Protein C in patients with alcoholic cirrhosis and other liver diseases, 163
Bellucci, A.D., see Meneghelli, U.G., 203
Benhamou, J.-P., see Berk, L., 305 and Gayno, S., 357
Benjamin, I.S., see Cox, I.J., 265
Bennett, M.K., see Collier, J.D., 377
Benoit, J.N., Grisham, M.B., Mesh, C.L., Korthuis, R.J. and Granger, D.N., Hepatic oxidant and antioxidant systems in portacaval-shunted rats, 253
Berk, L., Schalm, S.W., De Man, R.A., Heytink, R.A., Berthelot, P., Brechot, C., Boboc, B., Degos, F., Marcellin, P., Benhamou, J.-P., Hess, G., Rossol, S., Meyer zum Büschenfelde, K.-H., Chamuleau, R.A.F.M., Jansen, P.L.M., Reesink, H.W., Meyer, B., Beglinger, C., Stalder, G.A., Den Ouden-Muller, J.W. and De Jong, M., Failure of acyclovir to enhance the antiviral effect of α lymphoblastoid interferon on HBe-seroconversion in chronic hepatitis B. A multi-centre randomized control trial, 305
Berry, P., see Sautereau, D., 413
Berthelot, P., see Berk, L., 305 and Nalpas, B., 381
Beukers, R., Schalm, S.W., Immunosuppressive therapy for primary biliary cirrhosis, 1
Beukers, R., Van Zanten, R.A.A. and Schalm, S.W., Serial determination of type III procollagen amino propeptide serum levels in patients with histologically progressive and non-progressive primary biliary cirrhosis, 22
Bianchi, L., see Diamantis, I.D., 406
Bircher, J., see Lotterer, E., 71
Blok, A.P.R., see Ten Kate, F.J.W., 168
Blumberg, B.S., see Lega, L., 286
Boboc, B., see Berk, L., 305
Bousboulas, S., see Avgerinos, A., 78
Braillon, A., see Brenard, R., 347
Brechot, C., see Berk, L., 305, Nalpas, B., 381 and Zindy, F., 30
Brenard, R., Moreau, R., Pussard, E., Champigneulle, B., Gaudin, C., Hadengue, A., Braillon, A. and Lebrec, D., Hemodynamic and sympathetic responses to human atrial natriuretic peptide infusion in patients with cirrhosis, 347
Brown, J., see Dourakis, S., 370
Brunner, S., see Lohse, A.W., 48
Bryant, D.J., see Cox, I.J., 265
Budillon, G., see D'Arienzo, A., 188 and Cimino, L., 419
Burroughs, A.K., see McCormick, P.A., 99
Burt, A.D., see Collier, J.D., 377
Buti, M., Esteban, R., Jardi, R., Rodriguez-Frias, F., Allende, H., Cotrina, M. and Guardia, J., Treatment of chronic type D hepatitis and concomitant human immunodeficiency infection with α-interferon, 412

Cadrin, M., Marceau, N. and French, S.W., Cytokeratin of apparent high molecular weight in livers from griseofulvin-fed mice, 226
Camero, C., see Mateos, M., 411
Cangiotti, A., see Paolucci, F., 317
Carpenter, H.A., see Perdigoto, R., 325
Castaldo, G., see D'Arienzo, A., 188
Cavanagh, D., see Challen, C., 342
Celentano, L., see D'Arienzo, A., 188
Cessot, F., see Sautereau, D., 417
Challen, C., Guo, K., Collier, J.D., Cavanagh, D. and Bassendine, M.F., Infrequent point mutations in codons 12 and 61 of *ras* oncogenes in human hepatocellular carcinomas, 342
Champigneulle, B., see Brenard, R., 347
Chamuleau, R.A.F.M., see Berk, L., 305
Chiaramonte, M., see Farinati, F., 183
Chiba, J., see Dourakis, S., 370
Chung, H., see Lok, A.S.F., 332
Cimino, L., Citarella, C., Nardone, G. and Budillon, G., Lymphoblastoid interferon in chronic hepatitis C patients, 'non-responders' to recombinant interferon-α (rIFN-α), 419
Cimino, L., see D'Arienzo, A., 188
Cinti, S., see Paolucci, F., 317
Citarella, C., see Cimino, L., 419
Collier, J.D., Guo, K., Mathew, J., May, F.E.B., Bennett, M.K., Corbett, I.P., Bassendine, M.F. and Burt, A.D., c-*erb*B-2 oncogene expression in hepatocellular carcinoma and cholangiocarcinoma, 377
Collier, J.D., see Challen, C., 342
Collins, A.G., see Cox, I.J., 265
Colombo, M., Early diagnosis of hepatocellular carcinoma in Italy. A summary of a Consensus Development Conference held in Milan, 16 November 1990 by the Italian Association for the Study of the Liver (AISF), 401
Corbett, I.P., see Collier, J.D., 377
Coste, T., see Dény, P., 409
Cotrina, M., see Buti, M., 412
Coutts, G.A., see Cox, I.J., 265
Cox, I.J., Menon, D.K., Sargentoni, J., Bryant, D.J., Collins, A.G., Coutts, G.A., Iles, R.A., Bell, J.D., Benjamin, I.S., Gilbey, S., Hodgson, H.J.F. and Morgan, M.Y., Phosphorus-31 magnetic resonance spectroscopy of the human liver using chemical shift imaging techniques, 265
Cuschieri, A., see Vitale, G.C., 151
Czaja, A.J., Taswell, H.F., Rakela, J. and Schimek, C., Frequency of antibody to hepatitis C virus in asymptomatic HBsAg-negative chronic active hepatitis, 88
Czaja, A.J., see Perdigoto, R., 325

Daniels, H.M., see O'Grady, J.G., 104 and Smith, H.M., 405
Dardelet, D., see Thelu, M.A., 415
D'Arienzo, A., Celentano, L., Cimino, L., Panarese, A., Lancia, C., Vergara, E., Castaldo,G., Oriani, G., Squame, G.,

Budillon,G. and Mazzacca, G., Per-rectal portal scintigraphy with technetium-99m pertechnetate for the early diagnosis of cirrhosis in patients with chronic hepatitis, 188
Date, T., see Takada, N., 35
Davies, S.E., see O'Grady, J.G., 104
De Jong, M., see Berk, L., 305
De Man, R.A., see Berk, L., 305
De Vos, R., see Volpes, R., 361
De Maria, N., see Farinati, F., 183
Degos, F., see Berk, L., 305
Den Ouden-Muller, J.W., see Berk, L., 305
Dény, P., Roulot, D., Asselot, C., Rauzy, M., Rautureau, J. and Coste, T., Low rate of hepatitis C virus (HCV) transmission within the family, 409
Desmet, V.J., see Volpes, R., 361
Diamantis, I.D., McGandy, C.E., Pult, I., Widmann, J.-J., Gudat, F. and Bianchi, L., Detection of hepatitis C virus RNA in liver needle biopsies by polymerase chain reaction, 406
Donaldson, P.T., see O'Grady, J.G., 104
Dourakis, S., Brown, J., Kumar, U., Karayiannis, P., Kernoff, P., Chiba, J., Ohba, H., Miyamura, T., Saito, I., Monjardino, J. and Thomas, H., Serological response and detection of viraemia in acute hepatitis C virus infection, 370
Driss, F., see Nalpas, B., 381

El-Haddad, S., see El-Zayadi, A., 416
El-Zayadi, A., Selim, O., Rafik, M. and El-Haddad, S., Prevalence of hepatitis C virus among non-A, non-B-related chronic liver disease in Egypt, 416
Elisaf, M., Stefanaki-Nikou, S., Voulgarelis, M., Masalas, C. and Tsianos, E.V., Aprindine-induced hepatic granulomata, 276
Enomoto, N., see Takada, N., 35
Erlinger, S., see Gayno, S., 357
Esteban, R., see Buti, M., 412
Estler, C.-J., see Schmitz, G., 408

Fagiuoli, S., see Farinati, F., 183
Farinati, F., Fagiuoli, S., De Maria, N., Chiaramonte, M., Aneloni, V., Ongaro, S., Salvagnini, M. and Naccarato, R., Anti-HCV positive hepatocellular carcinoma in cirrhosis. Prevalence, risk factor and clinical features, 183
Fassio, E., Terg, R., Landeira, G., Abecasis, R., Salemne, M., Podesta, A., Rodriguez, P., Levi, D. and Kravetz, D., Paracentesis with dextran 70 vs. paracentesis with albumin in cirrhosis with tense ascites. Results of a randomized study, 310
Feitelson, M.A., see Lega, L., 286
Fleischer, B., see Löhr, H., 112
Forbes, A., see Wilkinson, M.L., 407
Freitag, T., see Heidemann, H., 300
French, S.W., see Cadrin, M., 226
Fusamoto, H., see Takehara, T., 232
Gainant, A., see Sautereau, D., 413
Gaudin, C., see Brenard, R., 347
Gayno, S., Marcellin, P., Loriot, M.A., Martinot-Peignoux, M., Levy, P., Erlinger, S. and Benhamou, J.-P., Detection of serum HBV-DNA by polymerase chain reaction (PCR) in patients before reactivation of chronic hepatitis B, 357
Gengenbacher, H.-M., see Holstege, A., 335
Gentilini, P., see Pinzani, M., 211
Gerbes, A.L., see Jüngst, D., 244
Gerok, W., see Holstege, A., 335
Gilbey, S., see Cox, I.J., 265
Ginès, A., see Salmerón, J.M., 280
Ginès, P., see Salmerón, J.M., 280
Giorgi, P.L., see Paolucci, F., 317
Goldin, R.D., see Hunt, N.C.A., 146
Granger, D.N., see Benoit, J.N., 253
Gressner, A.M., see Lotterer, E., 71
Grisham, M.B., see Benoit, J.N., 253
Grobe, E., see Lotterer, E., 71
Grosse-Wilde, H., see Tilg, H., 417
Guardia, J., see Buti, M., 412
Gudat, F., see Diamantis, I.D., 406
Güldütuna, S., see Wosiewitz, U., 7
Guo, K., see Challen, C., 342 and Collier, J.D., 377

Hadengue, A., see Brenard, R., 347
Hamberg, O., Nielsen, K. and Vilstrup, H., Effects of an increase in protein intake on hepatic efficacy for urea synthesis in healthy subjects and in patients with cirrhosis, 237
Hanano, M., see Yamazaki, M., 41 and Yamazaki, M., 54
Harry, D., see Avgerinos, A., 78
Hashimoto, K., see Shibayama, Y., 94
Haus, C., see Wosiewitz, U., 7
Hayashi, N., see Takehara, T., 232
Heidemann, H., Holzlöhner, U., Heydemann, J., Freitag, T. and Inselmann, G., Effects of amphotericin B on hepatic cytochrome P-450 and glucose-6-phosphatase in the rat, 300
Heijtink, R.A., see Ten Kate, F.J.W., 168
Herold, M., see Tilg, H., 417
Hess, G., see Berk, L., 305 and Löhr, H., 112
Heydemann, J., see Heidemann, H., 300
Heytink, R.A., see Berk, L., 305
Hodgson, H.J.F., see Cox, I.J., 265
Holstege, A., Gengenbacher, H.-M., Jehle, L., Gerok, W., Uridine catabolism by the isolated perfused rat liver, 335
Holzlöhner, U., see Heidemann, H., 300
Hopman, W.P.M., see Van Erpecum, K.J., 194
Huber, C., see Tilg, H., 417
Hunt, N.C.A., Goldin, R.D., Nitric oxide production by monocytes in alcoholic liver disease, 146

Iga, T., see Yamazaki, M., 41 and Yamazaki, M., 54
Iles, R.A., see Cox, I.J., 265
Inselmann, G., see Heidemann, H., 300
Jacyna, M.R. and Summerfield, J.A., Endoscopic management of biliary tract obstruction in the 1990s, 127
Jansen, J.B.M.J., see Van Erpecum, K.J., 194
Jansen, P.L.M., see Berk, L., 305
Jardi, R., see Buti, M., 412
Jehle, L., see Holstege, A., 335
Jezequel, A.M., see Paolucci, F., 317
Johnson, P.J., Liver transplantation in carriers of the HBsAG: role of short-term passive prophylaxis with immunoglobulin, 411
Jüngst, D., Xie, Y. and Gerbes, A.L., Pathophysiology of elevated ascites fluid cholesterol in malignant ascites. Increased ascites to serum relation of proteins and lipoproteins in patients with peritoneal carcinomatosis as compared to patients with cirrhosis of the liver, 244

Kamada, T., see Takehara, T., 232
Karayiannis, P., see Dourakis, S., 370
Kasahara, A., see Takehara, T., 232
Katayama, K., see Takehara, T., 232
Kernoff, P., see Dourakis, S., 370
King, R., Lau, J.Y.N. and Williams, R., Problems in treating chronic HDV infection, 407
Kirn, A., see Zindy, F., 30
Komesidou, V., see Avgerinos, A., 78
Kommerell, B., see Arnold, J.C., 404
Korthuis, R.J., see Benoit, J.N., 253
Kraus, T., see Arnold, J.C., 404
Kravetz, D., see Fassio, E., 310
Kropf, J., see Lotterer, E., 71
Kumar, U., see Dourakis, S., 370
Kyriatsoulis, A., see Lohse, A.W., 48

Lai, C., see Lok, A.S.F., 332
Lamas, E., see Zindy, F., 30
Lamers, C.B.H.W., see Van Erpecum, K.J., 194
Lancia, C., see D'Arienzo, A., 188
Landeira, G., see Fassio, E., 310
Lau, J.Y.N., Morris, A.G., Alexander, G.J.M. and Williams, R., Interferon-γ receptor expression in chronic hepatitis B virus infection, 294
Lau, J.Y.N., see King, R., 407 and Smith, H.M., 405
Lebrec, D., see Brenard, R., 347
Lega, L., Vierucci, A., Blumberg, B.S., Saracco, G., Rizzetto, M., Zhu, M. and Feitelson, M.A., Hepatitis B × antigen and polymerase antibodies in the serum of hepatitis B carriers with or without hepatitis delta virus infection. Effects of interferon treatment, 286
Lepper, H., see Schmitz, G., 408
Leuschner, U., see Wosiewitz, U., 7
Levi, D., see Fassio, E., 310
Levy, P., see Gayno, S., 357
Lewis, F.W. and Rector Jr, W.G., Caffeine clearance in cirrhosis. The value of simplified determinations of liver metabolic capacity, 157
Liu, V., see Lok, A.S.F., 332

Llach, J., see Salmerón, J.M., 280
Llorach Velludo, M.A.S., see Meneghelli, U.G., 203
Löhr, H., Fleischer, B., Michel, G., Rossol, S., Hess, G., Meyer zum Büschenfelde, K.-H. and Manns, M., Hepatitis C virus antibody secretion in vitro by peripheral blood lymphocytes, 112
Lohse, A.W., Brunner, S., Kyriatsoulis, A., Manns, M. and Meyer zum Büschenfelde, K.-H., Autoantibodies in experimental autoimmune hepatitis, 48
Lok, A.S.F., Wong, A., Sporton, S., Lai, C., Liu, V. and Chung, H., Hepatitis D virus superinfection remains a rare occurrence in non-drug abusers in Hong Kong, 332
Loriot, M.A., see Gayno, S., 357
Lotterer, E., Gressner, A.M., Kropf, J., Grobe, E., Von Knebel, D. and Bircher, J., Higher levels of serum aminoterminal type III procollagen peptide, and laminin in alcoholic than in nonalcoholic cirrhosis of equal severity, 71
Lunel, F., see Thelu, M.A., 415

Magro, J.E., see Meneghelli, U.G., 203
Mancini, R., see Paolucci, F., 317
Manns, M., see Löhr, H., 112 and Lohse, A.W., 48
Marceau, N., see Cadrin, M., 226
Marcellin, P., see Berk, L., 305 and Gayno, S., 357
Margreiter, R., see Tilg, H., 417
Mariano, N., see Pastore, G., 221
Martinelli, A.L.C., see Meneghelli, U.G., 203
Martinot-Peignoux, M., see Gayno, S., 357
Martos, I., see Mateos, M., 411
Mas, A., see Salmerón, J.M., 280
Masalas, C., see Elisaf, M., 276
Mateos, M., Martos, I., Moreno, R. and Camero, C., Immunoblot assay as diagnostic test for hepatitis C virus infection, 411
Mathew, J., see Collier, J.D., 377
May, F.E.B., see Collier, J.D., 377
Mazzacca, G., see D'Arienzo, A., 188
McCormick, P.A., Morgan, M.Y., Phillips, A., Yin, T.P., McIntyre, N. and Burroughs, A.K., The effects of alcohol use on rebleeding and mortality in patients with alcoholic cirrhosis following variceal haemorrhage, 99
McGandy, C.E., see Diamantis, I.D., 406
McHutchison, J.G., see Runyon, B.A., 249
McIntyre, N., see Avgerinos, A., 78 and McCormick, P.A., 99
Meneghelli, U.G., Martinelli, A.L.C., Llorach Velludo, M.A.S., Bellucci, A.D., Magro, J.E. and Barbò, M.L.P., Polycystic hydatid disease (*Echinococcus vogeli*). Clinical, laboratory and morphological findings in nine Brazilian patients, 203
Menon, D.K., see Cox, I.J., 265
Mesh, C.L., see Benoit, J.N., 253
Meyer, B., see Berk, L., 305
Meyer zum Büschenfelde, K.-H., see Berk, L., 305, Löhr, H., 112 and Lohse, A.W., 48
Michel, G., see Löhr, H., 112
Milella, M., see Pastore, G., 221
Miyamura, T., see Dourakis, S., 370
Monjardino, J., see Dourakis, S., 370
Monno, L., see Pastore, G., 221
Moreau, R., see Brenard, R., 347
Moreno, R., see Mateos, M., 411
Morgan, M.Y., see Cox, I.J., 265 and McCormick, P.A., 99
Morris, A.G., see Lau, J.Y.N., 294
Moschetta, R., see Pastore, G., 221
Mourelle, M., see Muriel, P., 16
Muñoz, M.-E., see Zanninelli, G., 64
Muriel, P. and Mourelle, M., Characterization of membrane fraction lipid composition and function of cirrhotic rat liver. Role of *S*-adenosyl-L-methionine, 16

Naccarato, R., see Farinati, F., 183
Nakata, K., see Shibayama, Y., 94
Nalpas, B., Thiers, V., Pol, S., Driss, F., Thepot, V., Berthelot, P. and Bréchot, C., Hepatitis C viremia and anti-HCV antibodies in alcoholics, 381
Nardone, G., see Cimino, L., 419
Navasa, M.A., see Salmerón, J.M., 280
Nielsen, K., see Hamberg, O., 237

O'Grady, J.G., Smith, H.M., Davies, S.E., Daniels, H.M., Donaldson, P.T., Tan, K.C., Portmann, B., Alexander, G.J.M. and Williams, R., Hepatitis B virus reinfection after orthotopic liver transplantation. Serological and clinical implications, 104
Ødegaard, O.R., see Bell, H., 163
Oggiano, N., see Paolucci, F., 317
Ohba, H., see Dourakis, S., 370
Ongaro, S., see Farinati, F., 183
Oriani, G., see D'Arienzo, A., 188
Orlandi, F., see Paolucci, F., 317
Otto, G., see Arnold, J.C., 404

Pallikari, A., see Avgerinos, A., 78
Panarese, A., see D'Arienzo, A., 188
Paolucci, F., Cinti, S., Cangiotti, A., Oggiano, N., Giorgi, P.L., Mancini, R., Jezequel, A.M. and Orlandi, F., Steatosis associated with immotile cilia syndrome: an unrecognized relationship?, 317
Pastore, G., Santantonio, T., Milella, M., Monno, L., Mariano, N., Moschetta, R. and Pollice, L., Anti-HBe-positive chronic hepatitis B with HBV-DNA in the serum response to a 6-month course of lymphoblastoid interferon, 221
Perdigoto, R., Carpenter, H.A. and Czaja, A.J., Frequency and significance of chronic ulcerative colitis in severe corticosteroid-treated autoimmune hepatitis, 325
Phillips, A., see McCormick, P.A., 99
Pillegand, B., see Sautereau, D., 413
Pinzani, M., Gentilini, P. and Abboud, H.E., Phenotypical modulation of liver fat-storing cells by retinoids. Influence on unstimulated and growth factor-induced cell proliferation, 211
Podesta, A., see Fassio, E., 310
Pol, S., see Nalpas, B., 381
Pollice, L., see Pastore, G., 221
Portmann, B., see O'Grady, J.G., 104
Pult, I., see Diamantis, I.D., 406
Pussard, E., see Brenard, R., 347

Rafik, M., see El-Zayadi, A., 416
Rakela, J., see Czaja, A.J., 88
Raknerud, N., see Bell, H., 163
Raptis, S., see Avgerinos, A., 78
Rautureau, J., see Dény, P., 409
Rauzy, M., see Dény, P., 409
Rector Jr, W.G., see Lewis, F.W., 157
Reesink, H.W., see Berk, L., 305
Ricci, G.L., see Zanninelli, G., 64
Rimola, A., see Salmerón, J.M., 280
Rizzetto, M., see Lega, L., 286
Rodés, J., see Salmerón, J.M., 280
Rodriguez, P., see Fassio, E., 310
Rodriguez-Frias, F., see Buti, M., 412
Rossol, S., see Berk, L., 305 and Löhr, H., 112
Roulot, D., see Dény, P., 409
Runyon, B.A., Antillon, M.R. and McHutchison, J.G., Diuresis increases ascitic fluid opsonic activity in patients who survive spontaneous bacterial peritonitis, 249

Sabinski, F., see Wosiewitz, U., 7
Saito, I., see Dourakis, S., 370
Salemne, M., see Fassio, E., 310
Salerno, F., Large-volume paracentesis and volume re-expansion: can synthetic plasma expanders safely replace albumin?, 143
Salmerón, J.M., Tító, L., Rimola, A., Mas, A., Navasa, M.A., Llach, J., Ginès, A., Ginès, P., Arroyo, V. and Rodés, J., Selective intestinal decontamination in the prevention of bacterial infection in patients with acute liver failure, 280
Salvagnini, M., see Farinati, F., 183
Santantonio, T., see Pastore, G., 221
Saracco, G., see Lega, L., 286
Sargentoni, J., see Cox, I.J., 265
Sautereau, D., Berry, P., Cessot, F., Gainant, A. and Pillegand, B., Hepatocellular carcinoma. Frequency of diffuse inhomogenous forms in ultrasonography and comparative value of alphafetoprotein and ultrasonically guided fine needle aspiration biopsy, 413
Schalm, S.W., see Berk, L., 305, Beukers, R., 1, 22, Ten Kate, F.J.W., 168 and Van der Rijt, C.C.D., 141
Schimek, C., see Czaja, A.J., 88
Schmidt, S., see Zindy, F., 30
Schmitz, G., Stauffert, I., Sippel, H., Lepper, H. and Estler, C.-J., Toxicity of di-

clofenac to isolated hepatocytes, 408
Seigneurin, J.M., see Thelu, M.A., 415
Selim, O., see El-Zayadi, A., 416
Shibayama, Y., Hashimoto, K. and Nakata, K., Hepatic haemodynamics and microvascular architecture after portal venular embolization in the rat, 94
Siow, Y., see Vitale, G.C., 151
Sippel, H., see Schmitz, G., 408
Smith, H.M., Daniels, H.M., Tibbs, C.J., Lau, J.Y.N. and Williams, R., HCV in non-replicative chronic HBV infection, 405
Smith, H.M., see O'Grady, J.G., 104
Sporton, S., see Lok, A.S.F., 332
Squame, G., see D'Arienzo, A., 188
Stalder, G.A., see Berk, L., 305
Stauffert, I., see Schmitz, G., 408
Stefanaki-Nikou, S., see Elisaf, M., 276
Stolk, M.F.J., see Van Erpecum, K.J., 194
Sugiyama, Y., see Yamazaki, M., 41 and 54
Summerfield, J.A., see Jacyna, M.R., 127
Suzuki, H., see Yamazaki, M., 41 and 54

Takada, A., see Takada, N., 35
Takada, N., Takase, S., Enomoto, N., Takada, A. and Date, T., Clinical backgrounds of the patients having different types of hepatitis C virus genomes, 35
Takase, S., see Takada, N., 35
Takehara, T., Hayashi, N., Katayama, K., Ueda, K., Towata, T., Kasahara, A., Fusamoto, H. and Kamada, T., Enhanced expression of HLA class I by inhibited replication of hepatitis B virus, 232
Tan, K.C., see O'Grady, J.G., 104
Taswell, H.F., see Czaja, A.J., 88
Tavanti, A., see Zanninelli, G., 64
Ten Kate, F.J.W., Schalm, S.W., Willemse, P.J.A., Blok, A.P.R., Heijtink, R.A. and Terpstra, O.T., Course of hepatitis B and D virus infection in auxiliary liver grafts in hepatitis B-positive patients. A light-microscopic and immunochemical study, 168
Terg, R., see Fassio, E., 310
Terpstra, O.T., see Ten Kate, F.J.W., 168
Theilmann, L., see Arnold, J.C., 404
Thelu, M.A., Zarski, J.P., Dardelet, D., Lunel, F. and Seigneurin, J.M., Low prevalence of hepatitis C virus genome detected by PCR in serum of Caucasian patients with hepatocellular carcinoma, 415
Theodossiadou, E., see Avgerinos, A., 78
Thepot, V., see Nalpas, B., 381
Thiers, V., see Nalpas, B., 381
Thomas, H., see Dourakis, S., 370
Thuluvath, P.J. and Triger, D.R., Selenium in chronic liver disease, 176
Tibbs, C.J., see Smith, H.M., 405
Tilg, H., Westhoff, U., Vogel, W., Aulitzky, W.E., Herold, M., Margreiter, R., Huber, C. and Grosse-Wilde, H., Soluble HLA class I serum concentrations increase with transplant-related complications after liver transplantation, 417
Tiribelli, C., Determinants in the hepatic uptake of organic anions, 385
Tító, L., see Salmerón, J.M., 280
Towata, T., see Takehara, T., 232
Triger, D.R., see Thuluvath, P.J., 176
Tsianos, E.V., see Elisaf, M., 276

Ueda, K., see Takehara, T., 232

Van Berge Henegouwen, G.P., see Van Erpecum, K.J., 194
Van den Oord, J.J., see Volpes, R., 361
Van der Rijt, C.C.D. and Schalm, S.W., Quantitative EEG analysis and evoked potentials to measure (latent) hepatic encephalopathy, 141
Van Erpecum, K.J., Van Berge Henegouwen, G.P., Stolk, M.F.J., Hopman, W.P.M., Jansen, J.B.M.J. and Lamers, C.B.H.W., Fasting gallbladder volume, postprandial emptying and cholecystokinin release in gallstone patients and normal subjects, 194
Van Zanten, R.A.A., see Beukers, R., 22
Vergara, E., see D'Arienzo, A., 188
Vierucci, A., see Lega, L., 286
Vilstrup, H., see Hamberg, O., 237
Vitale, G.C., Siow, Y., Baker, P.R. and Cuschieri, A., Reversible bile acid changes in bile duct obstruction and its potential for hepatocellular injury, 151
Vogel, W., see Tilg, H., 417
Volpes, R., Van den Oord, J.J., De Vos, R. and Desmet, V.J., Hepatic expression of type A and type B receptors for tumor necrosis factor, 361
Von Knebel, D., see Lotterer, E., 71
Voulgarelis, M., see Elisaf, M., 276

Weiner, F.R., see Annoni, G., 259
Westhoff, U., see Tilg, H., 417
Widmann, J.-J., see Diamantis, I.D., 406
Wilkinson, M.L. and Forbes, A., Hormonal treatment of hepatocellular carcinoma, 407
Willemse, P.J.A., see Ten Kate, F.J.W., 168
Williams, R., see King, R., 407, Lau, J.Y.N., 294, O'Grady, J.G., 104 and Smith, H.M., 405
Wong, A., see Lok, A.S.F., 332
Wosiewitz, U., Sabinski, F., Haus, C., Güldütuna, S. and Leuschner, U., Experimental dissolution of pigment gallstone material using alkaline EDTA and adjuvant bile salts/non-bile salt detergents, thiols and urea, with respect to local chemolitholysis, 7

Xie, Y., see Jüngst, D., 244

Yamazaki, M., Suzuki, H., Sugiyama, Y., Iga, T. and Hanano, M., Uptake of organic anions by isolated rat hepatocytes. A classification in terms of ATP-dependency, 41
Yamazaki, M., Sugiyama, Y., Suzuki, H., Iga, T. and Hanano, M., Utilization of ATP-depleted cells in the analysis of taurocholate uptake by isolated rat hepatocytes, 54
Yin, T.P., see McCormick, P.A., 99

Zanninelli, G., Tavanti, A., Muñoz, M.-E. and Ricci, G.L., Effect of the terpenic compound epomediol on biliary secretion and bile composition in the rat, 64
Zarski, J.P., see Thelu, M.A., 415
Zern, M.A., see Annoni, G., 259
Zhu, M., see Lega, L., 286
Zindy, F., Lamas, E., Schmidt, S., Kirn, A. and Brechot, C., Expression of insulin-like growth factor II (IGF-II) and IGF-II, IGF-I and insulin receptors mRNAs in isolated non-parenchymal rat liver cells, 30

Journal of Hepatology, 1992; 14: 428–429
© 1992 Elsevier Science Publishers B.V. All rights reserved. 0168-8278/92/$5.00

Subject Index (Vol. 14)

Activated *ras*, 342
Acute active hepatitis, 361
Acute liver damage, 163
Acyclovir, 232
Albumin, 259,310
Alcohol, 99
Alcoholic cirrhosis, 99, 163
Alcoholic hepatitis, 146
Alcoholics, 381
Alcoholism, 99
Amphotericin B, 300
1-Anilino-8-naphthalene sulfonate, 41
Antibody secretion in vitro, 112
Anti-HBe-positive chronic hepatitis B, 221
Anti-HCV antibodies, 381
Anti-HDV, 332
Antiviral therapy, 286
Aprindine, 276
Ascites, 157, 249, 310
Ascitic cholesterol, 244
ATP-dependency, 41
Atrial natriuretic peptide, 347
Autoantibody, 48
Autoimmune hepatitis, 48, 325
Auxiliary, 168

Benzylpenicillin, 41
Biliary secretion, 385
Bilirubin, 7
Bilirubinate, 7
Bilitranslocase, 385
Blood flow, 253
Bromophenol blue, 41
Bromosulfophthalein, 41

Caffeine, 157
Calcium, 7
Catalase, 253
Cell proliferation, 211
Chemolitholysis, 7
Cholecystokinin, 194
Cholestasis, 151
Chronic active hepatitis, 48, 88, 361
Chronic HBV infection, 294
Chronic hepatitis B, 305
Chronic hepatitis B reactivation, 357
Chronic hepatitis monitoring, 188
Cirrhosis, 71, 157, 163, 176, 183, 237, 249, 259, 347
Cirrhosis, diagnosis, 188
Colistin, 280
Collagen, 259
Combination therapy, 305
Cytochrome P-450, 151, 300

Detergent, 7
Dextran, 310
Dibromosulfophthalein, 41
Diet protein, 237
Dissolution, 7
Dynein, 317

Echinococcosis, 203
Echinococcus vogeli, 203
EDTA, 7
Endothelial cell, 30
Enterobacteria, 280
Enzyme-linked immunosorbent assay, 370
Epidermal growth factor, 211
Ethanol, 71
Exacerbations, 33
Experimental autoimmune disease, 48

Fat-storing cell, 30, 211
Fibrosing cholestatic hepatitis, 104
Fibrosis, 259
Flow cytometry, 232
Fructose, 78

Gallbladder, 194
Gallbladder emptying, 194
Gallstone, 7, 194
Gene regulation, 259
Glucose, 78
Glucose-6-phosphatase, 300
Glutathione peroxidase, 253
Growth factor, receptor, 377

HB611, 232
HBV-DNA, 357
HBV virology, 286
HCV-Ab, 35
HCV genome, 35
HCV polypeptide, 112
HCV-RNA, 35
HCV types, 35
HDV superinfection, 332
Hemodynamic response, 347
Hepatic granulomata, 276
Hepatitis B, 168, 357
Hepatitis B virus, 286
Hepatitis B virus model, 391
Hepatitis C virus, 35, 88, 112, 370, 381
Hepatitis D, 168
Hepatitis, HBV DNA, 104
Hepatocarcinogenesis, 342
Hepatocellular carcinoma, 183
Hepatocellular carcinoma, early diagnosis, 401
Hepatotoxicity, 151, 300
Heterotopic, 168
High carbohydrate diet, 78
Histological progression, 22
Histology, 168
Hong Kong, 332

IGF-I, 30
IGF-II, 30
Immotile cilia syndrome, 317
Immunohistochemistry, 168, 377
Immunosuppressive therapy, 1
Insulin, 78
Insulin receptor, 30
Interferon, 232, 305
Interferon therapy, 221
Interferon-γ receptor, 294
Ischemia, 253
Isolated hepatocyte, 41

Kupffer cell, 30

Laminin, 71
Lipid peroxidation, 300
Liver, 265
Liver cirrhosis, 78, 99
Liver function, 157
Liver injury, 276
Liver neoplasia, 377
Liver neoplasms, 183
Liver transplantation, 168
Lymphoblastoid interferon, 221

Malignant ascites, 244
Membrane carrier, 385
Molecular structure, 385
Monocytes, 146

Neomycin, 280
Nitric oxide, 146
Non-A, non-B hepatitis, 370
Non-esterified fatty acids, 78
Norfloxacin, 280
Northern blot analysis, 377
Nucleotide sequence, 35
Nystatin, 280

Opsonic activity, 249
Organic anion, 41

Paracentesis, 310
Parenteral drug abuse, 332
Peritoneal carcinomatosis, 244
Per-rectal scintigraphy, 188
Phosphorus magnetic resonance spectroscopy, 265
Pigment gallstones, 7
Plasma lipoproteins, 244
Plasma proteins, 244
Platelet-derived growth factor, 211
Polycystic disease, 203
Polymerase chain reaction, 342, 357, 370, 381
Portal hypertension, 99
Portal hypertension index, 188
Portal scintigraphy, 188
Primary biliary cirrhosis, 1, 22, 48
Primary ciliary dyskinesia, 317
Primary sclerosing cholangitis, 325
Protein C, 163
Proto-oncogene products, 377
Pyrimidine catabolism, 335

Quantitative HBeAg analysis, 305

Quantitative liver function test, 71

Retinoids, 211
RIBA2, 381
Rose bengal, 41

Salvia, 157
Selective hybridization, 342
Selenium, 176
Serum aminoterminal type III procollagen peptide, 71
Sinusoidal pyrimidines, 335
Spontaneous bacterial peritonitis, 249
Steatosis, 317
Superoxide dismutase, 253
Sympathetic response, 347

^{99m}Tc test, 188
Technetium-99m pertechnetate Shunt Index (SI), 188
Thiol, 7
TNF receptors, 361
Trace elements, 176
Transport liver, 385
Tumor necrosis factor, 361
Type III procollagen amino propeptide, 22

Ulcerative colitis, 325
Ultrasonography, 194
Urea, 7
Urea synthesis, 237
Uridine clearance, 335

Viral persistence, 391

Water solubility, 385

Xanthine dehydrogenase, 253
Xanthine oxidase, 253